









DON'T JUST GO THROUGH THE MOTIONS

The ClubSport R8 means business and looks like it. The sculpting of the new bonnet and boot together with the HSV Lo-line body coloured spoiler deliver a dynamic, sporty look. Like every GEN-F HSV, the ClubSport R8 is packed with power and performance. The 6.2 litre LS3 Generation IV Alloy V8 engine generates 325kW of power and 550 Nm of torque through either the standard 6-speed manual transmission or optional 6-speed automatic transmission with Active Select. The SV Enhanced option takes power and torque up to 340kW and 570Nm.



DISCOVER THE THRILL

The ClubSport R8 looks great from the ground up with stunning 20" cast flow-form alloy wheels with a Machined face and Gloss Black accents. The 4-piston brake package is developed from the latest NASCAR and V8 Supercar technologies with the calipers forged from 6061 T6 aluminium providing a superior strength-to-weight ratio. Coupled with increased rotor diameters and new brake pad material, this package delivers outstanding braking feel and performance.











CLUBSPORT FEATURES

- // HSV Sports Seats in cloth trim
- // 20" Cast flow-form alloy wheels (silver finish)
- // HSV Lo-line spoiler
- // HSV Performance Body Design
- // HSV LED Tail Lamps
- // Front and Rear Park Assist
- // Driver Preference Dial
- // HSV Quad exhaust outlets with chrome tips
- Satellite Navigation
- // AP ventilated discs with forged 4-piston brake calipers

SIDE BLIND ZONE ALERT (SBZA) uses ultrasonic waves to detect objects in the traditional blind spot zones. The system will warn the driver through an illuminated symbol located in the exterior rear view mirror on the side of the vehicle on which the object is detected.



ClubSport is one of HSV's most recognized name-plates and when it comes to power and performance, the ClubSport is GEN-F to the core. The 6.2 litre LS3 Generation IV Alloy V8 engine generates an impressive 317kW of power and 550Nm of torque and comes with 6-speed manual transmission as standard or an optional 6-speed automatic with Active Select. Whichever you choose, you'll feel alive from the moment you start the engine.







20" CAST FLOW-FORM ALLOY WHEEL WITH SILVER FINISH (STANDARD ON CLUBSPORT)



20" CAST FLOW-FORM ALLOY WHEEL WITH MACHINED FACE AND GLOSS BLACK ACCENTS R8 AND CLUBSPORT R8 TOURER)



20" SV PERFORMANCE FORGED ALLOY WHEEL IN SATIN GRAPHITE (OPTIONAL ON ALL MODELS)



SV ENHANCED

ClubSport R8 and ClubSport R8 Tourer are now available with an SV Enhanced option providing additional power and styling.

- Increased power and torque to 340kW and 570Nm
- Bi-Modal Air Intake
- 20" SV Performance forged wheels in Satin Graphite
- Unique "Pitch Black" accents on Fender Vents and Mirror Scalps
- Unique badges and Model I.D. plate
- HSV Lo-line Spoiler in Satin Graphite (ClubSport R8 only)





ENGINE

6.2 litre LS3 Generation IV Alloy V8. 90 Degree OHV. Cross Flow cylinder heads. Twin knock control sensors. On board diagnostics. Electronic Returnless Fuel System. High energy distributorless ignition. Solid state direct fire ignition, coil near plug with integrated igniter.

CAPACITY (cc) 6162 COMPRESSION RATIO (:1) 10.7

POWER (DIN kW)

317 kW* @ 6000rpm ClubSport R8 & ClubSport R8 Tourer R8 www a 6100rpm R8 models with SV Enhanced option 550 Nm @ 4600rpm ClubSport R8 & ClubSport R8 Tourer 570 Nm @ 4650rpm R8 models with SV Enhanced option

EXHAUST SYSTEM

HSV Quad exhaust outlets with chrome tips ClubSport and ClubSport R8 HSV Quad exhaust outlets ClubSport R8 Tourer Hi-flow exhaust system with x-pipe intermediate and Bi-Modal mufflers ClubSport R8 & ClubSport R8 Tourer

RECOMMENDED PETROL OCTANE RATING

98 RON (PULP). Note that using 95 RON (PULP) or lower will not cause any problems, but will result in slightly less engine performance and economy.

TORQUE (DIN Nm)

GEAR RATIOS

6-SPEED MANUAL / 6-SPEED AUTOMATIC with Active Select

1 3.01 / 4.03 2 2.07 / 2.36 3 1.43 / 1.53 4 1.00 / 1.15 5 0.71 / 0.85 6 0.57 / 0.67 Final Drive 3.7 / 3.27

SUSPENSION

FRONT: MacPherson strut direct acting stabiliser bar. Linear rate coil springs. REAR: Multi-Link Independent Rear Suspension (IRS). Linear rate coil springs.

ELECTRONIC STABILITY CONTROL (ESC)

Incorporating Anti-Lock Braking System (ABS), Electronic Brake force Distribution (EBD), Electronic Brake Assist (EBA), Traction Control System (TCS), Competition Mode (ESC) and Launch Control (manual only).

PETROL TANK CAPACITY STEERING -TURNING CIRCLE TOWING 71 Litres **Electric Power Steering** 11.4m (kerb to kerb) 1600kg

EXTERIOR DIMENSIONS (SEDANS / R8 TOURER mm) — INTERIOR DIMENSIONS (mm) -TRACK (mm) WIDTH exc. mirrors HEIGHT WHEELBASE LEG SHOULDER HEAD HIP FRONT REAR 1616 1590 4988/4971 1899/1899 1466/1465 2915/2915 1071/1001 1501/1450 985/965 1439/1472

INTERIOR CARGO CAPACITY

496 litres ClubSport & ClubSport R8 895 litres ClubSport R8 Tourer (all seats in place - behind rear seats) 2000 litres ClubSport R8 Tourer (rear seats folded)

SERVICE INTERVALS

The first inspection is due at 3,000km or 3 months (which ever occurs first). The first service is due at 15,000km or 9 months (which ever occurs first). There after at every 15,000km or 9 months since the last service (which ever occurs first). Additional services are required under certain driving conditions, such as when towing (refer owner's handbook).














PERFECT BLUE

REGAL PEACOCK







FULL SPECIFICATIONS

ENGINE & TRANSMISSION	ClubSport	ClubSport R8	R8 Tourer	DRIVER	ClubSport	ClubSport R8
Limited Slip Differential with HSV Specific Ratio 317kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed manual transmission 317kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed automatic transmission with Active Select 325kW 6.2 litre LS3 Generation IV Alloy V8 engine	- • - •	- -	-	Steering wheel height & reach adjustment Leather wrap sports profile steering wheel Multifunction steering wheel featuring illuminated controls for: Sound system, Trip-computer, Bluetooth®† for compatible mobile phones, Satellite Navigation		:
& Grapeed manual transmission 325kW 6.2 litre LS3 Generation IV Alloy V8 engine & 6-speed automatic transmission with Active Select 340kW 6.2 litre LS3 Generation IV Alloy V8 engine with Bi-Modal Air Intake & 6-speed manual transmission		•	• • •*	Priority 4-Button Flip Key (Manual only): Lock/Unlock/ Panic/Decklid Priority 5-Button Flip Key: Lock/Unlock/Panic/Decklid/ Remote Start (Automatic only) Cruise Control	_ •	0
340kW 6.2 litre LS3 Generation IV Alloy V8 engine with Bi-Modal Air Intake & 6-speed automatic transmission with Active Select	'o* c b c	□ *		Enhanced Multi Function Display (Multi colour): Vehicle Information Menu, Trip Information Menu, Fuel Economy Menu, Warnings/Messages		•
Hi-flow exhaust system with x-pipe intermediate and Bi-Modal mufflers SV Enhanced Option — 340kW/570Nm, 20" SV Performance forged wheel in Satin Graphite, interior & exterior accenting, Satin Graphite spoiler (ClubSport R8 Only)		•	HSV Instrument Cluster HSV Sports Twin Gauges - Oil Pressure & Voltage Centre console Model I.D. Plate Road speed dependent variable intermittent wipers	-	•	
				Rain Sensing Wipers Automatic headlamp mode. Switches on at twilight or low light		-
Electronic Stability Control (ESC) incorporating: ABS, EBD, EBA & TCS	_	•	•	Power side exterior mirrors Bluetooth ^{®†} with Enhanced Voice Control for compatible	•	-
Driver Preference Dial (DPD) incorporating: ESC, Traction Control, Launch Control (Manual Only), EPS	_ =	J.		mobile phones Leather wrap gear selector		
Driver Preference Dial (DPD) incorporating: ESC, Traction Control, Launch Control (Manual Only), EPS, Bi-Modal Exhaust		•	•	Alloy faced pedals	-	-
Electric Power Steering (EPS) Automatic Park Assist Front & Rear Park Assist		•	•	MyLink display Satellite Navigation (full colour mapping with live traffic	_ •	•
Forward Collision Alert Lane Departure Warning	3		•	updates, traffic management control & points of interest)		ı,
Side Blind Zone Alert Reverse Traffic Alert			=	CABIN COMFORT Dual Zone Electronic Climate Control: driver & front passenger		
Head-Up Display Electric Park Brake Hill Hold Control	_ _	i	•	8" high-resolution, colour touch-screen display. Displays infotainment content.		-
Hill Start Assist HSV Performance Suspension	-	i	Ē	Electric tilt & slide sunroof HSV Floor Mats HSV Performance Appliques & Console Cover		•
367mm (Front) & 367mm (Rear) ventilated discs with forged 4 piston calipers (Red) Dual-stage airbags for driver & front passenger	-	•	•	HSV Luxury Appliques & Console Cover (unique for optional "Red Hot" leather trim)		
Side impact airbags (thorax/pelvis) for driver & front passenger Side curtain airbags	:	=	•	Rear seat centre armrest	-	
Front seatbelts with load limiters & pyrotechnic pretensioners _ Rear seat child restraint anchor points (3)	:	•		SEATING	Ö	
Automatic Locking Retractor (ALR) rear seatbelts ISOFIX child seat anchorage system	-		•	HSV Sports Seats in cloth trim HSV Performance Seats in Onyx leather trim HSV Performance Seats in "Red Hot" leather trim	- <mark>-</mark>	÷
SECURITY			_	Power adjustable driver seat lumbar support		_
Passive Entry & Push Button Start with Sensor Key Smart Remote Engine Start System (Automatic transmission only) Time delay on entry. Automatic illumination when engine turned off.	-	:	:	Power adjustable driver & front passenger seat lumbar support 8-way electric adjustment of driver & front passenger seats 4-way electric adjustment of driver seat 2-way manual adjustment of passenger seat	 	•
Alarm		Ξ,	Ē	Rear seats fold flat		1

CAPPED PRICE SERVICING



Every new, eligible HSV now comes with Capped Price Servicing for each of the first four standard scheduled log book services, for the first three years or 60,000km, whichever comes first. So you'll have the comfort of knowing exactly what your standard service costs will be in advance. For full Terms & Conditions of HSV's Capped Price Service program, please contact your local HSV dealer, or visit www.hsv.com.au

Visit hsv.com.au for more details. Follow us on [6]

request. Copyright Premoso Pty. Ltd. (HSV) A.B.N. 84 006 802 053. Colours are for illustration purposes only. Printed July, 2013. Part Number HSC796











255/35 R20 (Front) & 275/35 R20 (Rear) Continental 5P Tyres 20" x 8.5" (Front) & 20" x 9.5" (Rear) cast flow-form alloy wheels (Silver finish) 20" x 8.5" (Front) & 20" x 9.5" (Rear) cast flow-form alloy wheels (Machined face with Gloss Black accents) 20" x 8.5" (Front) & 20" x 9.5" (Rear) SV Performance forged alloy wheels in Satin Graphite Black 20" Temporary Spare Wheel (Cast - No Tyre Pressure Monitor) Tyre sealant & air compressor kit **EXTERIOR** Driving lamps Projector headlamps (Black bezel) **HSV LED Daytime Running Lamps** HSV Quad exhaust outlets with chrome tips **HSV** Quad exhaust outlets HSV Performance Body Design **HSV LED Tail Lamps** HSV Lo-line Rear Spoiler (Body Coloured) HSV Lo-line Rear Spoiler (Satin Graphite) Pitch Black Mirror Scalps Pitch Black Fender Vents Chrome Fender Vents Chrome belt line & door frame moulding ENTERTAINMENT MyLink Infotainment System 8" high-resolution, colour touch-screen display Enhanced Driver Interface (EDI) Embedded Apps - Pandora® & Stitcher SmartRadio™ Single CD player able to play MP3 tracks USB input[†]: Siri voice control/touch-screen access for playlists, artist, albums, songs & genres Full iPod® integration†: Enhanced Voice Control/touch-screen access for playlists, artist, albums, songs & genres AUX input jack Enhanced Voice Control: Phone calls, Radio, Navigation, Smartphone/iPod®/MP3 or USB audio control_ Bluetooth®† audio streaming 9-Speaker BOSE® premium audio 8-Speaker Enhanced audio 6-Speaker audio DVD Playback (when stationary) STORAGE & CARGO Sunglasses holder (except where sunroof fitted) Twin cup holders in front centre console Twin cup holders in rear seat pad Centre console storage compartment with armrest lid Auxiliary power socket in console 60/40 split fold rear seats

WHEELS & TYRES

Standard Optional

HSV 125 RAYHUR STREET, CLAYTON

VIC 3168 AUSTRALIA

